

### Safety Data Sheet dated 18/7/2017, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Mixture identification:	
Trade name: Mille Fine	
Trade code: 9.BGFINE	
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Recommended use:	
Abrasive and polishing compound	
Uses advised against:	
All not indicated in the suggested uses.	
1.3. Details of the supplier of the safety data sheet	
Company:	
RUPES SPA - Via Marconi 3A, 20080, Vermezzo (MI) – Italy	
RUPES SPA - Telefono n°+3902946941	
Competent person responsible for the safety data sheet:	
info_rupes@rupes.it	
1.4. Emergency telephone number	
For United States, Canada Puerto Rico and Virgin Island: 1-800-255-3924 For China: 400-120-0751	
For Brazil: 0-800-591-6042	
For India: 000-800-100-4086	
For Mexico: 01-800-099-0731	
For Europe and all the other countries: 001-813-248-0585	
SECTION 2: Hazards identification	
2.1. Classification of the substance or mixture	
EC regulation criteria 1272/2008 (CLP)	
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).	
Adverse physicochemical, human health and environmental effects:	
No other hazards	
2.2. Label elements	
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).	
Hazard pictograms:	
None	
Hazard statements:	
None	
Precautionary statements:	
None	
Special Provisions:	

Special Provisions:

EUH210 Safety data sheet available on request. Special provisions according to Annex XVII of REACH and subsequent amendments:



None

2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

### **SECTION 3: Composition/information on ingredients**

- 3.1. Substances
- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty Name		Ident. Number		Classification	
>= 5% - < 10%	Aluminum oxide	CAS: EC: REACH No.:	1344-28-1 215-691-6 01-21195292 48-35	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).	
>= 5% - < 10%	White mineral oil (petrolem)	CAS: EC:	8042-47-5 232-455-8	😵 3.10/1 Asp. Tox. 1 H304	
>= 5% - < 10%	Älkanes, C12-14-iso	CAS: EC:	68551-19-9 271-369-5	3.10/1 Asp. Tox. 1 H304 EUH066	

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

- In case of skin contact:
  - Wash with plenty of water and soap.
- In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment: None

#### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media:

9.BGFINE/1 Page n. 2 of 9



Water.

Carbon dioxide (CO2).

- Extinguishing media which must not be used for safety reasons: None in particular.
- 5.2. Special hazards arising from the substance or mixture
  - Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
  - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhaltion of vapours and mists. Do not eat or drink while working.

- See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities

  Keep container closed when not in use. Keep only in the original container in a cool, well ventilated place away from: direct sunlight, heat and ignition sources
  Keep away from food, drink and feed.
  Incompatible materials:
  None in particular.
  Instructions as regards storage premises:
  Adequately ventilated premises.

  7.2 Specific and up (a)
- 7.3. Specific end use(s)

Abrasive and polishing compound

9.BGFINE/1 Page n. 3 of 9



SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Aluminum oxide - CAS: 1344-28-1
- OEL Type: TLV-ACGIH - TWA: 1 mg/m3
White mineral oil (petrolem) - CAS: 8042-47-5
- OEL Type: TLV-ACGIH - TWA: 5 mg/m3
DNEL Exposure Limit Values
Aluminum oxide - CAS: 1344-28-1
Worker Professional: 15.6 mg/m3 - Exposure: Human Inhalation - Frequency: Long
Term (repeated)
Worker Professional: 6.2 mg/m3 - Exposure: Human Oral - Frequency: Long Term (repeated)
PNEC Exposure Limit Values
N.Á.
8.2. Exposure controls
Eye protection:
Not needed for normal use. Anyway, operate according good working practices.
Protection for skin:
No special precaution must be adopted for normal use.
Protection for hands:
Not needed for normal use.
Respiratory protection:
Not needed for normal use.
Thermal Hazards:
None
Environmental exposure controls:
None
Appropriate engineering controls:
None

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	yellow paste		
Odour:	characteristic		
Odour threshold:	N.A.		
pH:	8.00-9.00		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	N.A.		
Flash point:	>60 ° C		
Evaporation rate:	N.A.		

9.BGFINE/1 Page n. 4 of 9



Solid/gas flammability:	N.A.	 
Upper/lower flammability	N.A.	 
or explosive limits:		
Vapour pressure:	N.A.	 
Vapour density:	N.A.	 
Relative density:	N.A.	 
Solubility in water:	partially	 
	miscible	
Solubility in oil:	N.A.	 
Partition coefficient	N.A.	 
(n-octanol/water):		
Auto-ignition temperature:	N.A.	 
Decomposition	N.A.	 
temperature:		
Viscosity:	=	 
	20.000-30.00	
	0 cps / > 20.5	
	mm2/s (40°C)	
	· · · /	
Explosive properties:	N.A.	 
Oxidizing properties:	N.A.	 

#### 9.2. Other information

Properties	Value	Method:	Notes	
Miscibility:	N.A.			
Fat Solubility:	N.A.			
Conductivity:	N.A.			
Substance Groups relevant properties	N.A.			

### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
  - No dangerous reactions known
- 10.2. Chemical stability
- stable under normal conditions
- 10.3. Possibility of hazardous reactions No dangerous reactions known
- 10.4. Conditions to avoid Direct sunlight. Extremely high or low temperatures 10.5. Incompatible materials
- strong oxidizing agents
- 10.6. Hazardous decomposition products none known

9.BGFINE/1 Page n. 5 of 9



#### **SECTION 11: Toxicological information** 11.1. Information on toxicological effects Toxicological information of the product: N.A. Toxicological information of the main substances found in the product: Aluminum oxide - CAS: 1344-28-1 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 10000 mg/kg Test: LC50 - Route: Inhalation Dust - Species: Rat > 2.3 mg/l - Duration: 4h White mineral oil (petrolem) - CAS: 8042-47-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg Test: LC50 - Route: Inhalation Mist - Species: Rat > 5 mg/l - Duration: 4h Alkanes, C12-14-iso - CAS: 68551-19-9 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LC50 - Route: Inhalation Vapour - Species: Rat > 5.3 mg/l - Duration: 4h

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

a) acute toxicity;
b) skin corrosion/irritation;
c) serious eye damage/irritation;
d) respiratory or skin sensitisation;
e) germ cell mutagenicity;
f) carcinogenicity;
g) reproductive toxicity;
h) STOT-single exposure;
i) STOT-repeated exposure;
j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Aluminum oxide - CAS: 1344-28-1 a) Aquatic acute toxicity: Endpoint: NOEC - Species: Fish > 100 mg/l - Duration h: 96 Endpoint: NOEC - Species: Daphnia > 100 mg/l - Duration h: 48 Endpoint: NOEC - Species: Algae > 100 mg/l - Duration h: 72 Endpoint: LC50 - Species: Fish > 10000 mg/l - Duration h: 96 White mineral oil (petrolem) - CAS: 8042-47-5 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 10000 mg/l - Duration h: 96

9.BGFINE/1 Page n. 6 of 9



Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 Alkanes, C12-14-iso - CAS: 68551-19-9 a) Aquatic acute toxicity: Endpoint: R07 - Species: Fish > 1000 mg/l - Duration h: 96 Endpoint: EL50 - Species: Daphnia > 1000 mg/l - Duration h: 48 Endpoint: NOELR - Species: Daphnia < 1 mg/l - Duration h: 504 Endpoint: EL50 - Species: Algae > 1000 mg/l - Duration h: 72 12.2. Persistence and degradability

Mille Fine

Biodegradability: Biodegradable - Test: N.A. - Duration h: N.A. - %: N.A. - Notes: N.A.

- 12.3. Bioaccumulative potential
  - N.A.
- 12.4. Mobility in soil N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

#### **SECTION 13: Disposal considerations**

- 13.1. Waste treatment methods
  - Recover if possible. In so doing, comply with the local and national regulations currently in force.

### **SECTION 14: Transport information**

- 14.1. UN number
  - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
- N.A. 4 3 Transport bazar
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group
- N.A. 14.5. Environmental hazards
  - N.A.
- 14.6. Special precautions for user
  - N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code N.A.

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values)

9.BGFINE/1 Page n. 7 of 9



Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): N.A.

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Hazard class and hazard category	Code	Description
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.



It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.